


1 (877) 553-9477 | 900 E. Trail Blvd. | El Reno, OK 73036 | www.exiss.com | sales@exiss.com

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All dimensions listed in this brochure are approximate. Illustrations may include optional equipment.

© 2017 Exiss | Version 17.3





1 (877) 553-9477 // www.exiss.com // sales@exiss.com








Model: 2H CX & 3H CX
Horse Stalls: 2 & 3 Horse
Tack Room: 0' Shortwall

Tack Room: 0' Shortwall
Rear Doors: Solid swing gate
Wheels: 15" Aluminum

79



The Express 2H & 3H CX models are the most affordable and convenient models in our bumper pull lineup. These trailers feature all-aluminum construction, a separate dressing room with a saddle rack and tack items, curbside and streeside air gaps, aluminum radial tires and rubber torsion axles.



WE PUT OURSELVES IN YOUR BOOTS

When it's time to make a major purchase, it's nice to have confidence that your selection was built the right way. As a proud member of the **National Association of Trailer Manufacturers**, not only do our trailers meet all NATM requirements, but they're built with your safety and satisfaction as our goal.

In keeping with its policy of continuous improvement, Exiss reserves the right to make specification changes at any time without notice or obligation. All weights and dimensions listed in this brochure are approximate. Illustrations may include optional equipment.





MODELS Express BP - CXF Edition

Model: 2H CXF & 3H CXF Horse Stalls: 2 & 3 Horse

Tack Room: 0' Shortwall Rear Doors: Solid swing gate Wheels: 15" Aluminum Outside Width: 6'8" or 7'0"
Inside Height: 7'2"

Sidewalls: Extruded aluminum
Streetside Windows: Feed window
Curbside Windows: 2 Air Gaps






MODELS Express BP - SS Edition

Model: 2H SS & 3H SS Horse Stalls: 2 & 3 Horse Tack Room: 0' Shortwall

Rear Doors: 50/50 Doors
Wheels: 15" Aluminum

Outside Width: 6'8" or 7'0"
Inside Height: 7'2"

Sidewalls: Smooth Skin Aluminum Streetside Windows: Feed window Curbside Windows: Slider window





The Express 2H & 3H SS models are a sleek, stylish and economical option from Exiss. These trailers feature all-aluminum construction, smooth skin exterior, a separate dressing room with a saddle rack and tack items, streetside feed windows, curbside slider windows, aluminum radial tires and rubber torsion axles.



MODELS Express BP - XT Edition

Model: 2H CX & 3H CX
Horse Stalls: 2 & 3 Horse
Tack Room: 0' Shortwall
Rear Doors: 50/50 Doors
Wheels: 15" Aluminum


Outside Width: 6'8" or 7'0"
Inside Height: 7'2"
Sidewalls: Extruded aluminum

Sidewalls: Extruded aluminum
Streetside Windows: Feed window
Curbside Windows: Slider window

The Express 2H & 3H XT models are the most robust and rugged slant load models in the Express bumper pull lineup.

These trailers feature all-aluminum construction, extruded aluminum exterior, a separate dressing room with a saddle rack and tack items, streetside drop down windows, curbside slider

windows, aluminum radial tires and rubber torsion axles.





WE STAND BEHIND OUR TRAILERS! To demonstrate our confidence in our trailers, all Exiss bumper pull trailers come standard with a fully transferrable, 3 year-limited, 8 year-structural warranty. See your local authorized Exiss dealership for more details.







POPULAR OPTIONS

Heavy-duty feed doors

Stall pads on dividers Aluminum butt bars Hay rack and ladder

1. Colored side sheets 2. Additional lighting

Rear ramp

8. Exterior graphics

9. Exterior slat 10. Lower divider





















MODEL SPECIFICATIONS & COMPARISONS

Trailer Model	Belly Length	Interior Height	Outside Width	Shortwall Length	Horse Stalls	Rear Tack	Est. Empty Weight	Wheel Size	Tire Specs	Axle Size
2H EXPRESS BP CX	11'	7'2"	6'8" or 7'	0'	2H	N/A	2,620	15"	8 ply	(2) 3,500
3H EXPRESS BP CX	14'4'	7'2"	6'8" or 7'	0'	ЗН	N/A	3,200	15"	8 ply	(2) 3,500
2H EXPRESS BP CXF	11'	7'2"	6'8" or 7'	0'	2H	N/A	2,620	15"	8 ply	(2) 3,500
3H EXPRESS BP CXF	14'4"	7'2"	6'8" or 7'	0'	3H	N/A	3,200	15"	8 ply	(2) 3,500
2H EXPRESS BP SS	11'	7'2"	6'8" or 7'	0'	2H	Optional	2,620	15"	8 ply	(2) 3,500
3H EXPRESS BP SS	14'4"	7'2"	6'8" or 7'	0'	ЗН	Optional	3,100	15"	8 ply	(2) 3,500
2H EXPRESS BP XT	11'	7'2"	6'8" or 7'	0'	2H	Optional	2,620	15"	8 ply	(2) 3,500
3H EXPRESS BP XT	14'4"	7'2"	6'8" or 7'	0'	ЗН	Optional	3,100	15"	8 ply	(2) 3,500
720 BP	13'	7'2"	6'8" or 7'	2'4"	2H	Standard	3,140	15"	8 ply	(2) 3,500
730 BP	16'	7'2"	6'8" or 7'	2'4"	3H	Standard	3,420	15"	8 ply	(2) 5,200