

AE ELITE TRAILERS



LIVESTOCK TRAILERS GOOSENECK & BUMPER PULL



CUSTOM BUILT STOCK • SHOW CATTLE • LOW PRO SEMIS • STOCK BOX

STOCK TRAILERS

Stock trailers can range from a small bumper pull to a large double deck gooseneck. The Stock Trailer can be designed with multiple configurations including custom gate locations, and options for adjustable gate locations, and removable pens. We can customize the trailer to suit your specific needs.

STANDARD TRAILER FEATURES

- 7' Width, 6' 6" Height
- Full Length Side Slats with Two Air Spaces and Natural Smooth Sheets
- Escape Gate with (3) 4" Hinge Assemblies with Brass Bushings
- Full Width Rear Gate with (5) 4" Welded Hinge Assemblies with Stainless Pin and Brass Bushings,
- 1/2 Slide Gate on Poly Slides and Steel Pipe Hardware
- Dexter Rubber Torsion Axles with Electric Brakes
- Premium Radial Tires with Steel Wheels
- Molded 7 Way Plug and Wiring Harness
- LED Turn Signals at Rear
- LED Interior Dome Light (390 Lumens)
- LED Top Rail Clearance Lights & 3/4" LED Button Fender Lights
- Recessed Exterior Light Switch
- Marine Grade Aluminum Treadplate Floor
- Drop Down Calf Gate at Nose
- Center Gate with (5) 4" Welded Hinge Assemblies with Brass Bushings and Dual Locking Slam Latch with Stainless Steel Interior and Exterior Releases
- Spring Loaded, Stainless Steel Gate Hold Back and Gate Rest





GOOSENECK

- 2-5/16" Adjustable Coupler with Safety Chains and Breakaway Kit
- 8' Long, 2' Tapered Nose with 49½" Drop Wall
- Single Speed Jack

BUMPER PULL

- 2-5/16" Bulldog Coupler with Safety Chains and Breakaway Kit
- Flat Nose
- 8K, 2" Square Drop Leg Jack





*Some photos shown with options.





SHOW CATTLE TRAILERS

The Show Cattle Combo is a stock trailer with a front tack room. The size of the tack room can be customized to fit your needs from a small tack room to fully equipped living quarters. The stock area can be designed with multiple configurations that include options for adjustable gate locations, removable pens, or slant dividers.

STANDARD TRAILER FEATURES

- 7' Width, 6' 6" Height
- Full Length Side Slats with Two Air Spaces and Natural Smooth Sheets
- Escape Gate with (3) 4" Hinge Assemblies with Brass Bushings
- Full Width Rear Gate with (5) 4" Welded Hinge Assemblies with Stainless Pin and Brass Bushings, 1/2 Slide Gate on Poly Slides and Steel Pipe Hardware
- Dexter Rubber Torsion Axles
- LED Top Rail Clearance Lights & 3/4" LED Button Fender Lights
- Recessed Exterior Light Switch
- Marine Grade Aluminum Treadplate Floor
- 19" x 34" Nose Windows (GN Models)
- Front Tack Compartment with Tack Room Door and Window
- Marine Grade Carpet on Floor, Drop and Bed
- Center Gate with (5) 4" Welded Hinge

- with Electric Brakes
- Premium Radial Tires with Steel Wheels
- Molded 7 Way Plug and Wiring Harness
- LED Turn Signals at Rear
- LED Interior Dome Light (390 Lumens) in Dress and Stock

- Assemblies with Brass Bushings and Dual Locking Slam Latch with Stainless Steel Interior and Exterior Releases
- Spring Loaded, Stainless Steel Gate Hold Back and Gate Rest

GOOSENECK

- 2-5/16" Adjustable Coupler with Safety Chains and Breakaway Kit
- 8' Long, 2' Tapered Nose with 49½" Drop Wall
- Single Speed Jack
- Hehr 19" x 34" Nose Windows

BUMPER PULL

- 2-5/16" Bulldog Coupler with Safety Chains and Breakaway Kit
- 3' Wedge Nose
- 8K, 2" Square Drop Leg Jack



*Some photos shown with options.





LOW PRO TRAILERS

The Low Pro livestock trailer is designed for smaller animals like pigs, lambs and sheep. Models available with and without front dress, options include multiple pen system configurations, slide rail center gates or a combination of both. The option list for this trailer allows you to customize the trailer based on your needs.

STANDARD TRAILER FEATURES

STANDARD TRAILER FEATURES

- Side Slat with Two Air Spaces (One High, One Low in Stock Compartment) and Natural Smooth Sheets in Front
- Escape Gate with (3) 4" Hinge Assemblies with Brass Bushings
- Double Rear Doors with Windows, Locking Seal Plates and Removable Center Post
- Dexter Rubber Torsion Axles with Electric Brakes
- Premium Radial Tires with Steel Wheels
- Marine Grade Aluminum Treadplate Floor
- Dress Door (BP Model)
- Molded 7 Way Plug and Wiring Harness
- LED High/Low Turn Signals at Rear
- LED Dome Light (390 Lumens) in Stock
- LED Top Rail Clearance Lights & 3/4" LED Button Fender Lights
- Recessed Exterior Light Switch
- Front Dress Models (GN Models Only) 4' Front Tack Compartment with Dress Door & Window, LED Dome Light, Rubber Mat on Floor, Marine Grade Carpet on Drop & Bed, 5 Bridle Hooks, Clothes Rod

GOOSENECK

- 6' 8" Width, 6' Height
- 2-5/16" Adjustable Coupler with Safety Chains and Breakaway Kit
- 8' Long, 2' Tapered Nose with 49½" Drop Wall
- Single Speed Jack

BUMPER PULL

- 5' 6" Height
- 2-5/16" Bulldog Coupler with 12" Extended Tongue with Safety Chains and Breakaway Kit
- 3' Wedge Nose
- 8K, 2" Square Drop Leg Jack



*Some photos shown with options.





STOCK SEMI TRAILERS

STRAIGHT FLOOR STOCK SEMI TRAILER

Width:

- 102"

Length:

- 53"

Height:

- 7'

Kingpin:

- 36" KP Setting / 47" FWH

Landing Gear:

- Holland Dual Two Speed with Low Pro Sand Shoes

Suspension:

- Hendrickson Intraax 23K Air Ride with Manual Dump Valve, 2s-1M ABS

Brakes:

- Air Brakes (16.5x7) with 7 Way Recepticle and Glad Hands in Nose Box

Tires:

- (8) 11R24.5 ST250 Load Range G

Wheels:

- (4) Aluminum Outer
- (4) Steel Inner

Bumper:

- 4" Rubber Dock Bumper, Under Ride Bumper and Mud Flaps

Floor:

- Corrugated Treadplate, Full Width Skid Plate (Rear)

Nose:

- Full Nose with Natural Finish
- Double Walled / Insulated

Exterior:

- Full Length Extruded Slats with 4 Air Spaces, 3 High and 1 Low on Sides
- D.O.T. Reflective Tape and Striping
- LED Clearance, Mid Turn and Rear Stop, Turn and Tail Lights
- Recessed Light Switch

Rear Gate:

- 36" Roll Up Gate on Streetside with Permanent Pan on Curbside

Interior:

- (3) Center Gate with Double Ring Latch, (2) 3/4" Drop Pins Mounted on Gate (Hinged on Curbside - Swings 180 Degrees)
- LED Lights (390 Lumen Each)



Shown with Options

LIVESTOCK BOX

The Elite Livestock Box is perfect for hauling small animals such as goats, sheep, swine and miniature horses. Safe and convenient for transporting one or two animals without the need of loading them into a trailer.

STANDARD FEATURES

- 48" Width
43" Height
- Available in 65" and 90" Lengths
- 2 Air Gaps
with Plexiglass and Track
- Double Rear Gates
with Spring Loaded Latches

OPTIONS

- Double Center Partitions
with Spring Loaded Latches
- Full Length Divider Panel
- Marine Grade Treadplate Floor
- Molded 7-Way Plug and Wire
with LED Dome Light

65,000 GVWR / Requires F.E.T.

GROUND LOAD STOCK SEMI TRAILER

Width:

- 102"

Length:

- 53"

Height:

- 6' 2" Front Compartment
- 7' Center Compartment
- 9' 1" Rear Compartment
- or • 10' Front Compartment
- 36" Center Compartment
- 7' Rear Compartment

Drop Height:

- 10" Front Drop
- 25" Rear Drop

Kingpin:

- 36" KP Setting / 47" FWH

Landing Gear:

- Holland Dual Two Speed
with Low Pro Sand Shoes

Suspension:

- Hendrickson Intraax 23K
Air Ride with Manual
Dump Valve, 2s-1M ABS

Brakes:

- Air Brakes (16.5x7)
with 7 Way Recepticle
and Glad Hands
in Nose Box

Bumper:

- 4" Rubber Dock Bumper

Tires:

- (8) 255/70R22.5 ST25OLP
Load Range H

Wheels:

- (4) Aluminum Outer
- (4) Steel Inner

Floor:

- Corrugated Treadplate,
Full Width Skid Plate (Rear)

Nose:

- Full Nose with Natural Finish
- Double Walled / Insulated

Exterior:

- Full Length Extruded Slats
with 3 Air Spaces,
2 High and 1 Low on Sides
- D.O.T. Reflective Tape
and Striping
- LED Lights
- Recessed Light Switch

Rear Gate:

- Full Width Rear Gate
with 1/2 Slider

Interior:

- Corrugated Tread Plate
- Split Ramp at Rear Drop
- Centergate with Slam Latch
(1) Front Drop, (2) Center,
(1) Rear Drop
- LED Lights
(390 Lumen Each)

Shown with Options





POPULAR OPTIONS

Elite has a large selection of option content to choose from. Below are few of the more common options available.

See your Elite Dealer for more details on options and additional add-ons.

Air Conditioner

- 13,500 BTU Air Conditioner with Heat Strip
- 13,500 BTU Low Profile Air Conditioner with Heat Strip & Thermostat
- Frame for A/C
- Frame & Wire for AC Unit

Awning

- Dometic 2 Step Awning

Axles

- Ridewell Semi Style Air Ride for 7K or 8K Axles
- STI Cargo Max Air Ride for 9K or 10K Axles
- EZ Lube Axles
- Oil Bath Axles
- Block Axles 2" and Lower Fenders
- Taper Inner Fenders
- Brush Fenders

Battery

- Single Battery Box
- Dual Battery Box
- Single Battery Box and Battery

Double Deck

- Full Width Split Centergates w/ Outside Release
- Split Escape Gate
- Full Width Rear Gate w/ Roll Up Gate
- Full Width Rear Gate w/ Split Roll Up Gate
- Double Deck Rails
- Double Deck Floor Boards
- Swinging Calf Gate
- Treadplate Floor in Gooseneck



**Dual Battery Box
and Batteries**

Boot Box

3' Carpeted Boot Box w/ Lid
Full Width, Carpet Boot Box
with Dual Lids
4' Carpeted Boot Box w/ Lid
Full Width, Padded Boot Box
with Dual Lids



Brakes

Electric/Hydraulic Brakes
Electric / Hydraulic "Disc"
Brakes

Carpet

Carpet Bulkhead Wall
in Dress
Carpet Side Walls in Dress
Carpet Walls in Gooseneck
Line/Insulate/Carpet Side
Walls in Dress
Line/Insulate/Carpet
Walls in Gooseneck

Clothes Rod

Clothes Rod

Coupler (GN Models)

Kingpin Coupler on Inner Pipe
2 5/16" Fulton Cable Release

Doors

Additional Dress Door
Double Side Tack Doors
w/ Single Pipe Hardware
Double Side Tack Doors
w/ Internal Latch, Camper
Latch & Combo Lock
Walk Thru Door for
Bulkhead Wall
Access Door in Gooseneck
Side Access Door
Make Dress Door Wider
Than Standard (37" to 50")

Dividers

Add Horse Divider
to Stock Trailer
or Show Cattle Combo

Electrical

Breaker Box, (1)110v Outlet
and Shore Plug
Shore Power Cord
30amp or 50amp
Additional 110v Outlet
Voyager IR Color Camera
Systems



Floors

High Grip
Flat Treadplate Floor
Corrugated
Treadplate Floor
Corrugated
High Grip Treadplate Floor
Full Width Traction Bars
Toe Board

Gates (Center)

1/2 Slide Gate
Inside Center Gate
1/2 Swing Gate
Inside Center Gate
3/4 Swing Gate
Inside Center Gate
Full Swing Gate
Inside Center Gate
Additional
Center Gates
Additional
Center Gate Settings
Slide Rail For Center Gate
Make Center Gate Slide
Between Fenders
(Slide Rail Gates Only)
No Step 1/2 or 3/4 Swing Gate



Inside a Center Gate
(Slide Rail Gate Only)
Slam Latch on Swing Gates
on Slide Rail
Run Center Gate at Slant
(with Stock Trailer Slam Latch)
Run Center Gate at Slant
(with Horse Trailer Slam Latch)
Flow Thru Bars Top
of Center Gate
(replaces Slats & Air Gaps)

Exterior

Mill Finish (Natural)
White
Black
Red
Gray
Champagne
Black Metallic
Stainless Nose Sheet
Stainless Nose
and GN Side Sheets
Custom Painted
Exterior Sheets
Polished Slat
Polished Fenders
Polished Top Rail
Polished Bottom Rail
Polished Door Frames
and Flush Mount
Polished Rear Corner Posts
and Rear Header
Polished Drop Gussets
2" Air Space Above Fenders
Removable Filler Slat
Hinged Slat to Cover Air Gap

Footage

Add Footage
to Dressing Room
Add Footage
to Stock Area
Delete Footage
to Stock Area

Gates (Escape)

Make Standard Escape
Gate Wider (37" to 50")
Sliding Escape Gate
(Slides on Outside of Trailer)
Add Single Pipe Hardware
to Escape Gate
Frame and Seal
Escape Gate
Additional Escape Gate

Gates (Rear)

Full Width Rear Gate
(No 1/2 Slider)
Double Rear Gates
with Double Pipe Hardware
Full Width Rear Gate
with Roll Up Gate
Double Swing
Full Width Rear Gate
w/ Double Pipe Hardware
(Gate Will Open S/S or C/S)
Exterior Safe Load Spring
Loaded Slam Latch
(For Full Width Rear Gates)

Gates (Nose)

Drop Down Gate
2 Swinging Gates
w/ Permanent Post in Nose

ELITE TRAILERS

Hayrack

Hayrack with Aerodyne
Nose and Tie Rails
Enclosed Haypod
with Aerodyne Nose

Height

Options to Increase Height
in 6" Increments

Jacks

Spring Loaded Jack
Single 2 Speed Jack
Dual Single Speed Jack
Dual 2 Speed Jacks
Hydraulic Single Leg Jack
Dual Hydraulic Jack

Miscellaneous (Cont'd)

Swingout Blanket Bars
Hehr Windows
(Multiple Sizes & Types)



5.5K Electric Jack
(Bumper Pull only)

Lights

LED High Turns on Rear
Additional
LED Clearance Lights
Clear Lens
LED Clearance Lights
3/4" LED Button Lights
Backup Lights
LED Turn Signals
Mounted in Fender
LED Turn Signals
Mounted in Slats
Halogen Load Lights
Halogen High Intensity
Load Light
LED Load Light
(1042 Lumens)
Flush Mount LED
Scene Load Light
(2500 Lumens)
Porch Light
Additional
Standard LED Dome Lights
(390 Lumens)
LED 6" x 18" Dome Lights
(880 Lumens)
LED Dome Light
Place Under Nose
Lighted Box Sign for Nose
(Lettering Not Included)
Recessed Lighted Sign
for Nose
(Lettering Not Included)

Mats


Rubber Floor Mats
WERM® Flooring

Miscellaneous

Chute Rack
on Side of Trailer
Panel Rack
on Side of Trailer
Saddle Racks
Saddle Racks Located
on Tack Door
Swingout Saddle Racks
Hat Shelf
Water Tanks
Bridle Hooks
Brush Trays
Blanket Bars

Pens and Accessories

60/40 or 50/50
Removable Pens
w/ Removable
Full Height Posts
Adjustable Pens
(50/50 and 60/40)



Noses

V Nose
Wedge Nose
(Bumper Pull)
Tread Plate Gravel Guard
18" for Bumper Pull
Raise Standard Drop Height
from 49-1/2" to 52-1/2"
Enclose Under Nose
with 3 Doors
Enclose Under Nose
with Roll Up Door
Enclose Under Nose
with Full Width Lift Door
with (2) Access Doors
in Lift Up

Paint

Paint Top Rail
Paint Coupler
Paint Top Rail
and Bottom GN Rail
Paint Landing Gear
and Handle
Paint Drop Gussets
Paint Bottom Rail
Paint Rear Corner Posts
and Rear Header
Paint Door or Ramp
Paint Smooth Sheets

Plexiglas and Track

Plexiglas (Sides)
Plexiglas and Track
(Rear and Escape Gates)
Plexiglas Track Only
(Rear & Escape Gates)
Plexiglas Storage

Split Pens
Add 12" Height to Std Pen
Low Latches on Pen Gates
Feeder Bracket Rods
Water Tank and Pump
Waterers
Misters
AM/FM/CD
w/ Inside, Outside
and Stock Area Speakers



Under Gooseneck
Plexiglas Storage
in Gooseneck
Plexiglas Storage Box
(Mounted Inside)

Ramps

48" Tall Spring Loaded
Rear Ramp
52" Tall Spring Loaded
Rear Ramp
Full Height Spring Loaded
Side Ramp

Roof

Insulate and Line Roof
and Top Rail
(Natural Aluminum)
Insulate and Line Roof
and Top Rail (White)

Slideout Rooms

HWH Hydraulic
Slide Out Room

Steps

8" Fold Up Camper Step
12" Fold Up Camper Step
Step Cleats

Ties

Welded Trailer Ties (Inside)
Bolted Outside Ties
Bolted Outside SSTL Ties
Inside Tie Rail
Outside Tie Rail
(Polished & Unpolished)

Vents

6" Butterfly Vent
Lunar Dome Roof Vent
Two Way Roof Vent

Walls

Slant Wall
Midtack
Side Tack
Double Door Side Tack

Wall Lining

Rubber, Double Wall
and Insulate Stock Walls
Line and Insulate
Dress Wall
(White or Natural)

Wheels

Stainless Steel Simulators
Alcoa Aluminum Wheels

Width

7' 6", 8', 100" and 102"

ELITE TRAILERS

ELITE STRUCTURE

Structure is the most important factor in the success of a trailer. The structure has to be solid to allow components to work at a high level throughout the years of hard use. Elite engineers each trailer to provide strength at crucial structural areas and utilizes the best materials to insure longevity, durability and usability of a trailer.

Top & Bottom Rails - 5" radius top rail, with an overall height of 8", (3 - 1/2" and 6" on Low Pro bumper pulls) and a 9 - 3/4" bottom rail (6-3/4" on Low Pro bumper pull) with a material thickness of 3/16".

Side Wall Construction - 6005 T6 aluminum post with 8" post at the start of the nose assembly, 5" x 1 - 3/8" at doors, gates and structural areas with 2 - 1/2" x 1-3/8" for all other side wall structure posts. Exterior 6063 aluminum interlocking extruded slat is .125 thick.

Floor Structure - 4" I - beams (3" on Low Pro bumper pulls) on 9 - 5/8" centers with a 2 - 1/2" upper flange that is welded to the floor and 3" bottom flange welded to the bottom rail. 5086, marine grade treadplate floor sheet on top of the structure to provide longer lasting protection against factors such as livestock waste.

Rear Frame - 2 - 1/2" x 5" rear upper header with 1/4" wall thickness with a 5" or 8" rear corner post based on trailer width. The rear upper header is reinforced at the upper corners with massive gussets huck bolted to the rear corner post for added strength. The rear corner posts are integrated through the floor into the bottom rail and are machine cut to provide a clean, precise fit resulting in a superior rear structure.

Roof - Arched 1" x 2 - 1/2" posts on 24" centers with a one piece, 3003 H16, .040 thick, aluminum roof sheet secure with solid core, buck rivets.

Gooseneck Nose Assembly - 3/16" thick drop wall and gussets, 5" x 1 - 3/8" upright posts and 4" aluminum I beam structure under the gooseneck floor. Elite utilizes multiple steel coupler assemblies & nose reinforcement based on trailer size and capacity. Bumper pull trailers utilize a steel coupler assembly that is huck bolted to trailer frame to provide superior support.

ELITE CONSTRUCTION

Elite Trailers utilizes only the best construction methods for attaching structures & components.

Elite trailers are known for their quality welds. There are multiple steps that Elite takes to ensure the welds are of the highest quality and strength. From tumbling and cleaning raw materials, to machining structural posts to ensure proper fit and tolerances, Elite's welds fuse materials together and don't rely on the slag material of welding to be the structure. Solid core buck rivets are used

welding to be the structure. Solid core back rivets are used to attach smooth side and roof sheets to the trailer. This rivet allows for a tighter, more compressed fit eliminating skin movement and leakage. This method is stronger and more durable than other methods such as tape, glue, or hollow core rivets. Elite utilizes huck fasteners with stainless caps versus coated fasteners that rust.

ELITE COMPONENTS

The components of an Elite Trailer are unmatched in the industry. Components are designed and built to be user friendly and provide a safe, quiet and secure hauling of livestock.

Exclusive Elite components like our gates are engineered with heavy duty, proprietary extrusions and constructed for maximum strength. Utilizing welded hinges with brass bushings on our gates provides a stronger and quieter ride for your livestock. Our dual locking slam latch with stainless interior and exterior releases offers more security and safety to your livestock. Other components such as our gate rails & slide gates have been developed to deliver long lasting operation and ease of use. Our spring loaded, stainless steel gate hold backs with rests support your gates no matter how you haul. Elite researches components ensuring that they will provide longevity, safety and reliability. The proof of our component quality is shown in older Elite trailers. When comparing other brands, look at trailers 5 years or older, you will see that the Elite trailer is still as sound as the day it was built. Look closely at how other brands components have held up. You might be surprised! Elite uses only name brand tires that have been picked based on history of reliability and safety. When comparing Elite to the competition, you will see we do not cut costs by using under capacity or inferior tires! Our trailers are engineered with accurate weights that give the retail customer the piece of mind that they can safely pull the trailer with the added weight of tack (including living quarters), stock, and options.

ELITE FIT AND FINISH

Elite goes beyond our competition with fit and finish. The welds throughout the trailer are unmatched. Components are sanded or tumbled to provide smooth touch without edges. In areas where caulk is used, it is applied to coordinate the product and done with great care not to take away from the trailer appearance. All trailers go through a multiple point inspections throughout production process to insure quality. Our quality assurance program extends to the tack and dressing rooms which are thoroughly inspected for leaks before the trailer is called complete.

With over 20 years of experience in building premium horse and livestock trailers, no other manufacturer combines the engineering expertise and structural integrity with the component quality, fit and finish of Elite Trailer.

ELITE TRAILERS

GET MORE INFO AND VIEW OUR GALLERIES ONLINE
<http://elitetrailers.com>



In 1995, Elite Trailers was formed with the passion and dedication to producing the highest quality aluminum trailer available to the market. With a fully supported staff of experienced and skilled employees, Elite Trailers has built on this passion, placing the customer and trailer first and foremost.

Elite's state of the art manufacturing facility with almost 250,000 square feet of manufacturing and service under roof was designed & built with one goal: The efficient manufacturing of the world's finest aluminum trailer. Elite has also made substantial investments computerized tooling that is second to none in the industry. Designed to not only improve the fit, finish and structural integrity of our finished trailer, it has provided manufacturing process improvements that allow us to spend more time on the details that are important to you.

We use the best materials & construction practices to construct a superior built trailer. We build each trailer with acute attention to detail and finish it with the luxury that exceeds your standards. We construct our trailers to the highest of industry standards and pride ourselves on the creation of a lasting product.

pride ourselves on the creation of a lasting product. Our dealer network is experienced at helping design the trailer around your needs. Elite supports their dealer network with knowledgeable and experienced sales, parts and warranty, engineering and purchasing departments. Our customers need and expect the best! We're proud to build custom trailers that are as solid as the folks who buy them.

Elite Trailer is designed and engineered to haul your livestock comfortably and safely for distances far and wide. It will work as hard as you, it will be dependable, and it will stand the test of time. Custom trailers with impeccable quality and durability are our product; exceeding the expectations of our customers is our business.

AUTHORIZED ELITE TRAILER DEALER



7700 SW 29TH ST. OKLAHOMA CITY, OK 73179

VIEW MORE ONLINE <http://elitetrailers.com>